

SUMMER

2012 CATALOGUE



WHITE OAK
CUSTOM WOODWORKING LTD.

CONTENTS

<i>An Introduction</i>	... A 1	<i>Miter Cairo Series</i>	... MTR 1
<i>Our Commitment</i>	... A 2	<i>Miter Columbia</i>	... MTR 2
<i>Anatomy of A Door</i>	... A 3	<i>Miter Como Series</i>	... MTR 3
<i>Confirmations, Changes to an Order</i>	... A 4	<i>Miter Fano Series</i>	... MTR 4
<i>Rush Orders</i>	... A 5	<i>Miter Florence Series</i>	... MTR 5
<i>Warrenty & Claims</i>	... A 6	<i>Miter Forest Hill Series</i>	... MTR 6
<i>Shipping</i>	... A 7	<i>Miter Madrid Series</i>	... MTR 7
<i>Panel Raise Profiles</i>	... A 8	<i>Miter Manhattan Series</i>	... MTR 8
<i>Cope & Stick Inside Profiles</i>	... A 9	<i>Miter Amalfi Series</i>	... MTR 9
<i>Miter Profiles</i>	... A 10 - A 11	<i>Miter Monaco Series</i>	... MTR 10
<i>Outside Edge {Lip} Profiles</i>	... A 12	<i>Miter Richmond Series</i>	... MTR 11
<i>Applied Moulding</i>	... A 13	<i>Miter Rodeo Series</i>	... MTR 12
<i>"P" {Plywood Panel} Series</i>	... TG 1	<i>Miter Frisa Series</i>	... MTR 13
<i>"SRP" {Solid Rasied Panel} Series</i>	... TG 2	<i>Miter Cordeaux Series</i>	... MTR 14
<i>"RVP" {Rasied Veneer Panel} Series</i>	... TG 3	<i>Applied Moulding Series</i>	... AM 1-AM6
<i>Shaker Series</i>	... TG 4	<i>Veneer Series Slab Doors</i>	... VS 1
<i>Shaker Series {English Groove}</i>	... TG 5	<i>Veneer Series 5 Piece Doors</i>	... VFP 1
<i>Village Series</i>	... TG 6	<i>Veneer Series Pillow Edge Doors</i>	... VPE 1
<i>Broadway Series</i>	... TG 7	<i>MDF One Piece Series Emily</i>	... MDF 1
<i>"E" {Elite} Series</i>	... TG 8	<i>MDF One Piece Series Sonoma</i>	... MDF 2
<i>Chicago Series</i>	... TG 9	<i>MDF One Piece Series Tristain</i>	... MDF 3
<i>Genova Series</i>	... TG 10	<i>MDF One Piece Series Cole</i>	... MDF 4
<i>Hampton Series</i>	... TG 11	<i>MDF One Piece Series Monica</i>	... MDF 5
<i>Preston Series</i>	... TG 12	<i>MDF One Piece Series Valentina</i>	... MDF 6
<i>Oxford Series</i>	... TG 13	<i>MDF One Piece Series Valentino</i>	... MDF 7
		<i>MDF One Piece Series Winston</i>	... MDF 8
		<i>MDF One Piece Series Chateaux</i>	... MDF 9
		<i>MDF One Piece Series Royal 1</i>	... MDF 10
		<i>MDF One Piece Series Avenue</i>	... MDF 11
		<i>MDF One Piece Series Normandy</i>	... MDF 12
		<i>MDF One Piece Series Chateaux V100.</i>	... MDF 13
		<i>MDF One Piece Series Rachael</i>	... MDF 14

NOTE

The information contained herin is assumed accurate, however, no responsibility is assumed by White Oak Custom Woodworking Ltd. Prices and specifications are subject to change without notice. White Oak Custom Woodworking Ltd. is not responsible for any typographical errors. All graphics are for visual representation only.

This publication supercedes all prior technical, policy, and price data.

Copyright © 1992-2012 White Oak Custom Woodworking Ltd. ALL RIGHTS RESEVED.

Reproduction of any part of this publication without expressed written permission of white Oak Custom Woodworking is strictly prohibited.

Printed in Canada.

Toll free: 1.800.205.3667
Head Office: 905.857.7603
Toronto: 905.669.0919

Fax#Head Office: 905.857.1586
Fax#Toronto: 905.669.2349

email: sales@wocw.ca
web: www.wocw.ca



WHITE OAK
CUSTOM WOODWORKING LTD.



WHITE OAK

CUSTOM WOODWORKING LTD.

AN INTRODUCTION.

White Oak Custom Woodworking Limited is a family run business that has been manufacturing cabinet doors for over 17 years. We specialize in the manufacturing of custom cabinet doors that are made to measure on a kitchen at a time basis. Our philosophy since conception has always been to offer a high quality product backed up with superior service and value.

Our commitment to investing in our company, benefits our clients by allowing us to develop the latest and greatest fashions for the cabinet

industry... After all; we are the face of the kitchen. Our dedication to engineering products that are aesthetically pleasing and functional is what sets us apart from our competitors. Sure, anyone can copy our designs and produce counterfeit doors but they cannot achieve the level of quality, service consistency and diversity that White Oak Custom Woodworking offers.


We have achieved this enviable reputation by addressing our client's needs. We constantly adapt our

manufacturing techniques and designs in order to meet the consistently changing needs of the market.

Quality, service, selection, design and the personal touch are the hallmarks of White Oak Custom Woodworking Limited.

We are pleased to offer our latest catalogue that is filled with our entire collection of cabinet doors.

Sincerely,



Robert Scrimbolo
V.P Sales & Marketing

White Oak Custom Woodworking Ltd. understands that in today’s global competitive market, you will be unable to meet your costumers’ growing needs without the right suppliers.

*We believe that only through a **partnership** can the above be achieved.*

CONSISTANT SUPERIOR QUALITY

FAST LEAD TIMES

FLEXIBILITY

INCREASED VARIETY

PRODUCT CUSTOMIZATION
(INCLUDING PROTOTYPING AND DESIGN)

VALUE


TECHNICAL EXPERTISE

AFTER-SALES SERVICE

◀ *As your partner, we can offer the following benefits.*

We are committed to investing in the latest technology that helps our business be more efficient and pass the savings directly to our customers.

Call on White Oak Custom Woodworking Ltd. for all your wood cabinet door needs. You can rest easy knowing your requirements are in our capable hands.



Placing Orders:

Orders can be placed by **fax** or **email**.

Fax#Head Office: 905.857.1586

Fax#Toronto: 905.669.2349

email: sales@wocw.ca

Confirmation of Fax Orders:

All single orders will have a confirmation faxed back. "Rush" or "Addition" orders will also have confirmations sent unless otherwise specified.

Costly errors can be avoided by faxing or e-mailing. All orders with special features or instructions must have a drawing attached.

Changes / Cancellations:

In order to supply our customers with the quickest lead times:

- 1. All orders in house will remain available for any changes for a period of 24 hours. Any changes made afterwards will be considered an "addition". "Additions" may not be ready with your original order. Once your order is confirmed and released into production, changes will not be honored and you will be charged for new items.*
- 2. Rush orders will be placed into production immediately. Any changes will be considered an "addition".*

Sizes:

We require the product width and height to be specified with each order. When placing an order, please provide exact door sizes. We will not add or subtract from your measurements. You may order in either metric or imperial sizes.

Door Specifications:

All product specifications are subject to change without notice.

Quotations:

1. Quotes are valid for 30 days.
2. Quotes are not valid if changes or modifications are made to the order.
3. Changes or modifications to a quote will require a new quote.
4. Specialty items will require drawings. Please enquire for delivery time.

Polish Sanding:

To reduce cross grain scratches, White Oak Custom Woodworking Ltd., now offers polish sanding, on the face of each door, for many of its door styles. Polish sanding is included within our pricing - there is no additional charge for this service. In addition to this service, we still recommend that you "prep" all doors prior to finishing to remove any scuff marks which may occur during handling.

Sample Doors:

Samples are available at discounted prices of 30% off the regular price. Some restrictions apply.

Lead Times:

1. Lead times are based on normal business days and do not including holidays, Saturdays and Sundays.
2. Orders will be scheduled for production only if complete and accurate. Incomplete orders will delay production until clarified by customer. Lead times begin from date of clarification.

Rush Orders:

Please call our Customer Service Department to discuss your situation and determine whether our production schedule can accommodate your order. Also, please remember this is a service to be used only under extenuating circumstances. Abuse of this service will not be tolerated. All orders processed as "RUSH" or "ADDITION" may have an upcharge applied.

RUSH

Warranty:

Due to the tendency of wood to expand and contract according to the environment in which it is placed, we strongly advise that all our wood products be placed in a stable environment. Our wood products are engineered with tolerances to allow proper wood movement. White Oak Custom Woodworking Ltd. guarantees its products for a period of one year from the date of shipment. This warranty is limited to the cost of the defective item and does not cover finishing costs, installation or removal costs, labor or travel time of any kind, nor any accessories used in conjunction with our products.

White Oak will not be liable for damage caused by improper storage, handling, finishing, or if the product is stored for extended periods of time without being sealed and top coated.

Irregularities are common to the nature and beauty of wood and are not considered defects unless otherwise specified in our grading and wood specification guide.

Any requests to alter our normal construction specifications such as deleting center rails on pantry doors over 44" are not guaranteed. There are no other warranties of any kind, expressed or implied.

Our warranty does not cover doors that have been installed on cabinets that have been installed on top of or nearby radiant heated floors.

Doors that warp, bow, twist, crack, fail due to improper use of the home's HVAC and humidification system are not covered under warranty. Should such a claim be made we will request a site visit or we will contract a climate control specialist to visit the home and take readings of the moisture and relative humidity inside the home. Any visits made by outside companies will be charged to the client.

Warpage Warranty:

Door Specifications Warpage Tolerance:

'Raised Panel Door 24" or less in width and/or 44" 1/8" or less in height.

**Frame only doors and plywood panel doors 24" or 1/4" less in width and/or 44" or less in height.*

**Doors over 24" in width and/or 44" in height. No warranty.*

Claims:

All claims for shortages or defective goods must be made within 48 hours of receipt. Credit or replacement will be issued subject to our inspection. Goods must be returned in the original condition, if requested. (Finished/Altered doors will not be accepted.)




Shipping Damage:











Please call our Customer Service Department immediately upon discovery of any damaged items in your shipment. Damaged shipments can be a frustrating experience - our commitment to our customers starts by remaking and immediately shipping any damaged items at no cost to you. Replacements will be invoiced and credited upon return of the defective or damaged goods.

All freight claims will be processed by White Oak Custom Woodworking Ltd. To ensure that White Oak Custom Woodworking Ltd. is properly reimbursed for shipping damage, please keep the original package and original materials intact. It is important that all items remain "AS IS". This is necessary to process any shipping claim in order to avoid the claim being refused by the carrier

RAISED PANEL




















profiles




















NOTE

Profiles are not shown to scale.







NOTE

Profiles are not shown to scale.

OUTSIDE EDGE - LIP

profiles





NOTE

Profiles are not shown to scale.

P100™



P200™



P300™



P400™




P500™




P100™ DRW T&B



DOOR PROFILE



DRAWER PROFILE




FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

SLAB DRAWER



AVAILABLE OUTSIDE EDGES



S100 SRP™



1

S200 SRP™



2

S300 SRP™



3

S400 SRP™



4

S500 SRP™



5

S100 SRP™ DRW T&B



SLAB DRAWER




i.

1. Shown with a G44 Rasied Panel. 2. Shown with a D40 Rasied Panel. 3. Shown with a D40 Rasied Panel. 4. Shown with an A40 Rasied Panel. 5. Shown with an A40 Rasied Panel.

DOOR PROFILE




DRAWER PROFILE




FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



AVAILABLE OUTSIDE EDGES



RVP™



1


RECOMMENDED OUTSIDE EDGES

LIP-0	LIP-1	LIP-2
LIP-3	LIP-4	LIP-5
LIP-6	LIP-7	LIP-9
LIP-14	LIP-17	LIP-19
LIP-26	LIP-30	LIP-MW 101


1

Shown in Select Hard Maple with an RVP panel .

DOOR PROFILE



DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1 , 4 , 6 , 8 , 10

STANDARD RAISED PANEL




i.

The RVP Series features solid wood rail and styles with an MDF raised panel covered with a premium veneer.

This is the premium choice for builder kitchens and custom kitchens that are exposed to continuous climate changes. Since the panel is made of MDF and Veneer, there is little contraction and expansion as the climate changes.


White Oak Custom Woodworking Ltd. is the only cabinet door company in North America to offer a Raised Veneer Panel door on single custom kitchen at a time orders.

SHAKER SRP™



1

RECOMMENDED OUTSIDE EDGES



1

Shown in Select Hard Maple with an F25 panel.

DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

RECOMMENDED RAISED PANEL



i.


This door style is also available with a plywood center panel.

SHAKER SRP™ ENGLISH PANEL



1

AVAILABLE OUTSIDE EDGES



1

*Shown in a Select Hard Maple with an F25
English Groove panel.*

DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

RECOMMENDED RAISED PANEL




VILLAGE PP/SRP™



1

AVAILABLE OUTSIDE EDGES



1

Shown with a 1/4" plywood panel.

FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

i.

Available with a solid raised panel.

BROADWAY SRP™




1

BROADWAY PP™



2

RECOMMENDED OUTSIDE EDGES



1

Shown in a Select Hard Maple with an H50 raised panel.


2

Shown in a Select Hard Maple with a 1/4" plywood panel.

DOOR PROFILE



DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



E100 SRP™



1


AVAILABLE OUTSIDE EDGES

LIP-0	LIP-1	LIP-2
LIP-3	LIP-4	LIP-5
LIP-6	LIP-7	LIP-9
LIP-14	LIP-17	LIP-19
LIP-26	LIP-30	LIP-MW 101


1

Shown with an A40 raised panel.

DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



i.

Available with a 1/4" plywood center panel.

CHICAGO SRP™




1

CHICAGO PP™




2


RECOMMENDED OUTSIDE EDGES



DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

AVAILABLE RAISED PANELS



1

Shown in a Select Hard Maple with an H50 raised panel.

2

Shown in a Select Hard Maple.

GENOVA SRP™




GENOVA PP™



1


RECOMMENDED OUTSIDE EDGES




1

Shown in a Select Hard Maple with an E50 panel.

DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS




HAMPTON SRP™



1


RECOMMENDED OUTSIDE EDGES



1

Shown in a Select Cherry with an F25 reverse raised panel.

DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANEL




PRESTON SRP™



1


RECOMMENDED OUTSIDE EDGES



1

Shown in an African Kahya with a H50 raised panel.


DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

AVAILABLE RAISED PANEL



i.

Also available with a 1/4" plywood center panel.

OXFORD PP™



DOOR PROFILE

Coming Soon.


FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

i.

Only available in a 3/8" plywood panel.

RECOMMENDED OUTSIDE EDGES




CAIRO SRP™




1


RECOMMENDED OUTSIDE EDGES



DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

STANDARD RAISED PANELS



i.

This door style is also available with a plywood center panel.

1


Shown in a Select Hards Maple with an F25 reverse raised panel.

COLUMBIA SRP™



1


AVAILABLE OUTSIDE EDGES




1

Shown in a Select Hard Maple with an F25 reverse panel.

DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANEL



i.

This door style is also available with a plywood center panel.

COMO SRP™




1

COMO PP™




2


STANDARD OUTSIDE EDGE



DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

RECOMMENDED RAISED PANELS



1

Shown in a Select Hard Maple with a D40 raised panel.

2


Shown in a Select Hard Maple.

FANO SRP™



1


STANDARD OUTSIDE EDGE




1

Shown in a Select Hard Maple with an F25 reverse raised panel.

DOOR PROFILE



DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

RECOMMENDED RAISED PANEL



i.

This door style is also available with a plywood center panel.

FLORENCE SRP™




1

FLORENCE PP™




RECOMMENDED OUTSIDE EDGES




1

Shown in a Select Hard Maple with a D40 raised panel.

DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



FOREST HILL SRP™




FOREST HILL PP™



1


RECOMMENDED OUTSIDE EDGES




1

Shown in a Select Hard Maple with an E50 raised panel.

DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



MADRID SRP™




1

MADRID PP™




STANDARD OUTSIDE EDGE




1

Shown in a Select Hard Maple with an A40 raised panel.

DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



MANHATTAN SRP™




1

MANHATTAN PP™




STANDARD OUTSIDE EDGE




1

Shown in a Select Hard Maple with an B50 raised panel.

DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS




AMALFI SRP™



1


STANDARD OUTSIDE EDGE




1

Shown in a Select Hard Maple with an F25 reverse raised panel.

DOOR PROFILE



DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

RECOMMENDED RAISED PANEL



i.

This door style is also available with a plywood center panel.

MONACO SRP™




1

MONACO PP™



2

AVAILABLE OUTSIDE EDGE




1

Shown in a Select Hard Maple with an B50 raised panel.


2

Shown in a Select Hard Maple with a 1/4" plywood panel.

DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



RICHMOND SRP™




1


RICHMOND PP™



RECOMMENDED OUTSIDE EDGES




DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



1

Shown in a Select Hard Maple with a G40 raised panel.

RODEO SRP™




1

RODEO PP™




STANDARD OUTSIDE EDGES




1

Shown in a Select Hard Maple with an D40 raised panel.

DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS




FRISA SRP™



1


RECOMMENDED OUTSIDE EDGES



1

Shown in a White Oak with an F25 reverse raised panel.


DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



i.


This door style is also available with a plywood center panel.

CORDEAUX SRP™



1


RECOMMENDED OUTSIDE EDGES



DOOR PROFILE




DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

STANDARD RAISED PANELS



i.

This door style is also available with a plywood center panel.

1


Shown in a Select Hards Maple with a D40 raised panel.

SHAKER AM SRP™



1

STANDARD OUTSIDE EDGE



1

Shown in a Select Cherry with an F25 reverse raised panel.

FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANEL



GENOVA CLASSIC

series

GENOVA CLASSIC SRP™




1


GENOVA CLASSIC PP™



RECOMMENDED OUTSIDE EDGES




DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



1

Shown in a Select Hard Maple with an E50 raised panel.

TOSCANA SRP™




1

TOSCANA PP™




RECOMMENDED OUTSIDE EDGES



1

Shown in a Select Hard Maple with an E50 raised panel.


DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

RECOMMENDED RAISED PANELS




VIRGINIA SRP™



1

RECOMMENDED OUTSIDE EDGES



1

Shown in a Select Hards Maple with an F25 panel.

DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

STANDARD RAISED PANELS



GENOVA ROYAL SRP™




1


GENOVA ROYAL PP™



RECOMMENDED OUTSIDE EDGES




DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1, 4, 6, 8, 10

RECOMMENDED RAISED PANELS



1


Shown in a Select Hard Maple with an E50 raised panel.

PISA SRP™



1


RECOMMENDED OUTSIDE EDGES



1

Shown in a Select Hards Maple with an F25 panel.


DOOR PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

STANDARD RAISED PANELS




VENEER SLAB


series



CONCEALED EDGE



EXPOSED EDGE



i.

1. Chocolate Wenge. 2. Engineered Zebrano. (Zebrawood) 3. Engineered Macassar Ebony. 4. Natural Quarter Cut Cherry. 5. Engineered Quarter Cut White Oak. 6. Engineered Quarter Cut White Oak.

ITEM	GRAIN	EDGE
DENVER™	Verticle Grain	Exposed Edge
HARTFORD™	Horizontal Grain	Exposed Edge
COLORADO™	Verticle Grain	Concealed Edge
DURANGO™	Horizontal Grain	Concealed Edge

AVAILABLE IN:

- + ENGINEERED VENEERS
- + DOMESTIC VENEERS
- + EXOTIC VENEERS



DOOR PROFILE



DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

1 OPENING ONLY

CENTER PANELS



i.

Drawers under 6 7/8" High will be made as a Brianza Pillow Edge Slab. 1. Qtr Cut Wenge. 2. Qrt. Cut White Oak. 3. Creamy Moca. 4. Natural Maple.

PILLOW EDGE


series

AVAILABLE IN:

- + ENGINEERED VENEERS
- + DOMESTIC VENEERS
- + EXOTIC VENEERS



DOOR PROFILE



DRAWER PROFILE



FRAME/MULLION # OF OPENINGS

LAZIO 1 LITE

i.

1. Qtr Cut Wenge. 2. Vanilla. 3. Creamy Moca. 4. Natural Maple.


EMILY™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.


SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
2 1/4" (57mm)	1 1/2" (38mm)	6 3/8" (162mm)	4 7/8" (124mm)	1 Opening Only

CORE MATERIAL OPTIONS

3/8" MDF White Melamine Back


SONOMA™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.


SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
2 3/4" (70mm)	1 7/8" (48mm)	7 3/8" (188mm)	5 5/8" (143mm)	1 Opening Only

CORE MATERIAL OPTIONS

7/8" MDF White Melamine Back


TRISTIAN™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.

SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
3" (76mm)	2 1/4" (57mm)	7 7/8" (201mm)	6 3/8" (162mm)	1 Opening Only

CORE MATERIAL OPTIONS

3/4" MDF White Melamine Back


COLE™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.


SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
3" (76mm)	1 7/8" (48mm)	9" (229mm)	6 1/2" (165mm)	1 Opening Only

CORE MATERIAL OPTIONS

3/4" MDF White Melamine Back


MONICA™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.

SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
2 1/2" (64mm)	1 1/2" (38mm)	6 1/2" (165mm)	4 3/4" (121mm)	1 Opening Only

CORE MATERIAL OPTIONS

3/4" MDF White Melamine Back


VALENTINA™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.

SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
2 1/2" (64mm)	1 1/2" (38mm)	6 7/8" (174mm)	4 7/8" (124mm)	1 Opening Only

CORE MATERIAL OPTIONS

3/4" MDF White Melamine Back

VALENTINO™



CROSS SECTION (not to scale)



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.

SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
2 1/2" (64mm)	1 1/2" (38mm)	6 7/8" (174mm)	4 7/8" (124mm)	1 Opening Only

CORE MATERIAL OPTIONS

3/4" MDF White Melamine Back


WINSTON™



CROSS SECTION *(not to scale)*



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.


SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
3 1/2" (89mm)	1 7/8" (48mm)	10 1/2" (267mm)	7 1/8" (181mm)	1 Opening Only

CORE MATERIAL OPTIONS

7/8" MDF White Melamine Back or 7/8" Raw MDF


CHATEAUX™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.

SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
3 1/4" (83mm)	2 1/4" (57mm)	8 3/8" (213mm)	6 3/8" (162mm)	1 Opening Only

CORE MATERIAL OPTIONS

7/8" MDF White Melamine Back


ROYAL 1™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.

SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
3 1/2" (89mm)	2" (51mm)	10 1/2" (267mm)	7 7/8" (200mm)	1 Opening Only

CORE MATERIAL OPTIONS

1 1/8" MDF White Melamine Back


AVENUE 1™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.

SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
3 1/2" (89mm)	2" (51mm)	10 1/2" (267mm)	6.375" (161mm)	1 Opening Only

CORE MATERIAL OPTIONS

1 1/8" MDF White Melamine Back


NORMANDY™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the malamine you can paint over the surface.

Standard back pocket has a 7/8 radius.

1/8 radius back pocket is available for an additional cost.

Specify TCPK on the special instructions area of our order form.

SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
2 15/16" (74mm)	2 3/16" (56mm)	7 3/4" (197mm)	5 5/8" (150mm)	1 Opening Only

CORE MATERIAL OPTIONS

7/8" MDF White Melamine Back or 7/8" Raw MDF with Pocketed Back

CHATEAUX V-100™



CROSS SECTION (not to scale)



i.

This door style is only available with a V100 (beaded) outside edge.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the melamine you can paint over the surface.


SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
3 1/4" (83mm)	2 1/4" (57mm)	7 1/4" (184mm)	6 3/8" (162mm)	1 Opening Only

CORE MATERIAL OPTIONS

7/8" MDF White Melamine Back


RACHAEL™



CROSS SECTION (not to scale)



AVAILABLE OUTSIDE EDGE PROFILES



i.

We recommend using MDF with a white Melamine back to prevent warping.

Our White Melamine backs can be scuff sanded using 150 grit sandpaper. By scuffing the malamine you can paint over the surface.

SPECIFICATIONS

RAIL & STILE WIDTH	REDUCED TOP & BOTTOM RAIL WIDTHS	MINIMUM HEIGHT WITH FULL RAILS	MINIMUM HEIGHT WITH REDUCED RAILS	GLASS DOOR OPTION
2 1/4" (57mm)	1 7/8" (48mm)	5 7/8" (149mm)	4 3/4" (120mm)	1 Opening Only

CORE MATERIAL OPTIONS

3/4" MDF White Melamine Back



WHITE OAK
CUSTOM WOODWORKING LTD.

SUMMER

2012 CATALOGUE